


## GaAs MMIC Limiter Chip, 8-12 GHz

#### Performance characteristics

- Frequency range: 8 12 GHz
- Insertion loss : 0.7 dB
- Clipping level: 18dBm
- Power handling: 60W (2ms pulse width, 30% duty cycle)
- 500hm input / output
- 100% on-wafer testing
- Chip size: 2.76 x 1.77 x 0.1mm

#### **Product Introduction**



**Functional Block Diagram** 

GLM-0812C is a GaAs MMIC limiter with a frequency range of 8~12GHz , 50Ω input/output , 0.7dB loss within the operating frequency band, 1.2 input and output standing wave , and 47.8dBm anti-burnout power ( 2ms pulse width, 30% duty cycle) . The chip is small in size, has no DC blocking capacitor at the input , and has a DC blocking capacitor at the output . The chip uses on-chip through-hole metallization technology to ensure good grounding, does not require additional grounding measures, and is simple and convenient to use. The back of the chip is metallized and is suitable for eutectic sintering or conductive adhesive bonding.

| Use restriction parameter <sup>1</sup> |  |  |
|--|--|--|
| Maximum input power                    | +47.8dBm (2ms pulse width, 30% duty cycle) |  |
| Operating temperature                  | -55 ~ + 125 °C                             |  |
| Storage temperature                    | -65 ~ +150°C                               |  |


[1] Exceeding any of these maximum limits may cause permanent damage.

| Electrical performance parameters (TA = +25°C)          |         |               |         |      |  |
|---|---------|---------------|---------|------|--|
| Index   | Minimum | Typical Value | Maximum | Unit |  |
| Frequency Range   | 8-12    |               |         | GHz  |  |
| Insertion loss  | -       | 0.7           | -       | dB   |  |
| Input return loss                                       | -       | 15            | -       | dB   |  |
| Output return loss                                      | -       | 15            | -       | dB   |  |
| Clipping level  | -       | 18            | -       | dBm  |  |
| Anti-burning power ( 2ms pulse width, 30% duty cycle) * |         | 47.8          |         | dBm  |  |


\*Continuous power input duration 2 minutes.



## GaAs MMIC Limiter Chip, 8-12GHz



## Appearance structure <sup>2</sup>




[ 2 ] All units in the figure are micrometers



# GLM-0812C

## GaAs MMIC Limiter Chip, 8-12GHz

### Recommended assembly drawing



| Bonding point definition |           |   |  |
|--------------------------|-----------|---|--|
| Bonding point            | Function  | Functional Description  |  |
| number                   | Symbol    |   |  |
| 1 RF IN                  | RF IN     | RF signal input terminal , chip input terminal has no DC blocking   |  |
|                          | capacitor |   |  |
| 2                        | RF OUT    | RF signal output terminal , the chip output terminal has integrated |  |
|                          | KF OUT    | DC blocking capacitor   |  |
| Chip bottom              | GND       | The bottom of the chip needs to be well grounded to RF and DC       |  |

#### Precautions for use

- The chip needs to be stored in an anti-static container and kept in a nitrogen environment.
- bare die surface using wet chemical methods .
- Please strictly comply with ESD protection requirements to avoid electrostatic damage to bare chips.
- General operation: Please use precision pointed tweezers to pick up bare chips. Avoid touching the chip surface with tools or fingers during operation.
- Rack mounting operation suggestions: Bare chip mounting can be done by AuSn solder eutectic sintering or conductive adhesive bonding. The mounting surface must be clean and flat.
- Sintering process: It is recommended to use AuSn solder sheets with a gold -tin ratio of 80/20. The working surface temperature reaches 255 °C and the tool (vacuum chuck) temperature reaches 265 °C. When the high-temperature mixed gas (nitrogen-hydrogen ratio of 90/10) is blown to the chip, the temperature at the top of the tool should be raised to 290 °C. Do not let the chip exceed 320 °C for more than 20 seconds. The friction time should not exceed 3 seconds.
- Bonding process: The amount of conductive glue dispensed should be as small as possible. After the chip is placed in the installation position , the conductive glue should be vaguely visible around



it . For curing conditions, please follow the information provided by the conductive glue manufacturer.

 Bonding operation suggestions: Use Φ0.025mm (1mil) gold wire for both ball and wedge bonding. Thermo-ultrasonic bonding temperature is 150 °C. The pressure of the wedge for ball bonding is 40~50gf, and the pressure of the wedge bonding is 18~22gf. Use the smallest possible ultrasonic energy. The bonding starts at the pressure point on the chip and ends at the package (or substrate).